

SDS Revision Date: 5/9/2023

Revision Number: 2

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity Gen-Z Lining Green
Alternate Names Gen-Z Lining Green
Unique Formula Identifier

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended Pigment dispersion produced for exclusive use for permanent tattoos applications.

Uses The product should NOT be used in the eye. Product for professional use in

accordance with Regulation (EU) 2020/2081, amending Annex XVII to Regulation (EC) 1907/2006 of the European Parliament and the Council concerning the Registration,

Evaluation, Authorization and Restriction of Chemicals (REACH).

1.3. Details of the supplier of the safety data sheet

Company Name Intenze Product Inc.

215, Rt 17

South Rochelle Park, NJ 07662

Customer Service: 201 342 4446

1.4. Emergency telephone number

Emergency

24 hour Emergency Telephone 1 (800) 222-1222 American Association of Poison Control

No. Centers

Section 2. Hazard identification of the product

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

2.2. Label elements



SDS Revision Date: 5/9/2023

Revision Number: 2

According to REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking. P501 Dispose of contents or container in accordance with local and national regulations. P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction. P403+235 Store in a well ventilated place. Keep cool.

2.3. Other hazards

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

Section 3. Composition/information on ingredients

3.2. Mixtures

Ingredient/Chemical Designations	Weight %	Classification according to regulation EC No. 1272/2008*	Notes
Aqua	50 - 75	Not Classified	
CAS Number: 0007732-18-5			
EC No. 231-791-2			
Index No.:			
REACH #:			
Hamamelis virginiana, extract	10 - 25	Not Classified	
CAS Number: 0084696-19-5			
EC No. 283-637-9			
Index No.:			
REACH #:			
CI 69800	5 - 10	Not Classified	
CAS Number: 0000081-77-6			
EC No. 201-375-5			
Index No.:			
REACH #:			
CI 13980	5 - 10	Not Classified	
CAS Number: 0031837-42-0			
EC No. 250-830-4			
Index No.:			
REACH #:			
Ethanol	1 - 5	Flam. Liq. 2;H225	
CAS Number: 0000064-17-5			
EC No. 200-578-6			
Index No.: 603-002-00-5			
REACH #:			
Ammonium Acrylates Copolymer	1 - 5	Not Classified	
CAS Number: Proprietary			
EC No. Proprietary			



SDS Revision Date: 5/9/2023
Revision Number: 2

Ingredient/Chemical Designations	Weight %	Classification according to regulation EC No. 1272/2008*	Notes
Index No.: Proprietary REACH #:			
Glycerine CAS Number: 0000056-81-5 EC No. 200-289-5 Index No.: REACH #:	1 - 5	Not Classified	
CI 74100 CAS Number: 0000574-93-6 EC No. 209-378-3 Index No.: REACH #:	1 - 5	Not Classified	

[^]CLP 31 Reference EC No. 1272/2008 1.1.3.1. Notes relating to the identification, classification and labelling of substances (Table 3.1).

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eye Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

^{*}PBT/vPvB - PBT-substance or vPvB-substance.



SDS Revision Date: 5/9/2023

Revision Number: 2

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available. Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep cool.

5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using



SDS Revision Date: 5/9/2023

Revision Number: 2

toilet. Promptly remove soiled clothing and wash thoroughly before reuse. Dispose of contents or container in accordance with local and national regulations.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Store in accordance with the National Fire Protection Association's publication NFPA 30, Flammable and Combustible Liquids Code. 29 CFR 1910.106 applies to the handling, storage, and use of flammable and combustible liquids.

Wear protective gloves, eye protection, and face protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry area, away from heat, sparks and open flame.

Keep containers sealed when not in use.

Store out of direct sunlight.

Incompatible materials: No available information

Store in a well ventilated place. Keep cool.

7.3. Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

8.1. Control parameters



SDS Revision Date: 5/9/2023

Revision Number: 2

Exposure

CAS No.	Ingredient	Source	Value
0000056-81-5	Glycerine	ACGIH	TWA: 3 mg/m³(respirable) 10 mg/m³(mist)
DNEL Local Exposure	No Established Limit		
DNEL Systematic Exposure	No Established Limit		
National	No Established Limit		
0000064-17-5	Ethanol No Established Limit	ACGIH	No Established Limit
DNEL Local Exposure	No Established Limit		
DNEL Systematic Exposure	380 mg/m ³		
DIVEL Systematic Exposure	360 Hig/Hi ²		
National	No Established Limit		
National	NO Established Ellillt		
0000081-77-6	CI 69800	ACGIH	No Established Limit
DNEL Local Exposure	1.25 mg/m ³	100	
·			
DNEL Systematic Exposure	No Established Limit		
National	No Established Limit		
0000574-93-6	CI 74100	ACGIH	No Established Limit
DNEL Local Exposure	No Established Limit		
DNEL Systematic Exposure	No Established Limit		
	N. 5 . 11:1 11: 11		
National	No Established Limit		
0007722 40 5	0.500	ACCIII.	No Catablish ad Liveit
0007732-18-5 DNEL Local Exposure	Aqua No Established Limit	ACGIH	No Established Limit
DIVEE LOCAL EXPOSAIC	No Established Elline		
DNEL Systematic Exposure	No Established Limit		
2.122 Systematic Exposure	10 250051151100 21111110		
National	No Established Limit		
0031837-42-0	CI 13980	ACGIH	No Established Limit
DNEL Local Exposure	No Established Limit		
DNEL Systematic Exposure	No Established Limit		
National	No Established Limit		
Proprietary	Ammonium Acrylates Copolymer	ACGIH	No Established Limit
DNEL Local Exposure	No Established Limit		
DNEL Contament's E	No Catablish ad Live		
DNEL Systematic Exposure	No Established Limit		
National	No Established Limit		
National	INO ESTADIISHEA FILLI		
0084696-19-5	Hamamelic virginiana, overset	ACGIH	No Established Limit
DNEL Local Exposure	Hamamelis virginiana, extract No Established Limit	ACGIN	וויס באמטוואווכע בוווווג
	L	I	



SDS Revision Date: 5/9/2023

en Revision Number: 2

CAS No.	Ingredient	Source	Value
DNEL Systematic Exposure	No Established Limit		
National	No Established Limit		

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³OSHA PEL and 5 mg/m³ACGIH.

8.2. Exposure

controls

Respiratory If workers are exposed to concentrations above the exposure limit they must use

the appropriate, certified respirators.

Eyes Protective safety glasses recommended

Skin

Engineering Provide adequate ventilation. Where reasonably practicable this should be

Controls achieved by the use of local exhaust ventilation and good general extraction. If

these are not sufficient to maintain concentrations of particulates and any vapor

below occupational exposure limits suitable respiratory protection must be worn. **Other Work**Use good personal hygiene practices. Wash hands before eating, drinking,

Practices smoking or using toilet. Promptly remove soiled clothing and wash thoroughly

before reuse.

See section 2 for further details. - [Prevention]:

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Liquid

Color According to product specification

Odor Characteristic odor

Melting point / freezing pointNo available informationInitial boiling point and boiling rangeNo available informationFlammability (solid, gas)No available information

Upper/lower flammability or explosive limits Lower Explosive Limit: No available

information

Upper Explosive Limit: No available

information

Flash Point

Auto-ignition temperature

Decomposition temperature

PH

No available information

No available information

No available information

No available information



Safety Data Sheet SDS Revision Date: 5/9/2023

Gen-Z Lining Green Revision Number: 2

Viscosity (cSt)

Solubility in Water

Partition coefficient n-octanol/water (Log

No available information

No available information

Kow)

Vapor pressure (Pa)No available informationRelative DensityNo available informationVapor DensityNo available information

Evaporation rate (Ether = 1)No available informationOxidising propertiesNo available informationExplosive propertiesNo available information

9.2. Other information

VOC (Volatile Organic Compound) < 5 % (w/w)

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No available information

10.4. Conditions to avoid

Avoid high temperatures and contact with incompatible material

10.5. Incompatible materials

No available information

10.6. Hazardous decomposition products

No hazardous decomposition data available.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous



SDS Revision Date: 5/9/2023

Green Revision Number: 2

system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Glycerine - (56-81-5)	23,000.00, Mouse - Category: NA	56,750.00, Guinea Pig - Category: NA	No data available	No data available	No data available
Ethanol - (64-17-5)	10,470.00, Rat - Category: NA	17,100.00, Rabbit - Category: NA	124.70, Rat - Category: NA	No data available	No data available
CI 69800 - (81-77-6)	No data available	No data available	No data available	No data available	No data available
CI 74100 - (574-93-6)	No data available	No data available	No data available	No data available	No data available
Aqua - (7732-18-5)	90,000.00, Rat - Category: NA	No data available	No data available	No data available	No data available
CI 13980 - (31837-42-0)	No data available	No data available	No data available	No data available	No data available
Ammonium Acrylates Copolymer - (Proprietary)	No data available	No data available	No data available	No data available	No data available
Hamamelis virginiana, extract - (84696-19-5)	No data available	No data available	No data available	No data available	No data available

Classification Category Hazard Description	Classification	Category	Hazard Description
--	----------------	----------	--------------------



SDS Revision Date: 5/9/2023 Revision Number: 2

Acute toxicity (oral)		
Acute toxicity (dermal)		
Acute toxicity (inhalation)		
Skin corrosion/irritation		
Serious eye damage/irritation		
Respiratory sensitization		
Skin sensitization		
Germ cell mutagenicity		
Carcinogenicity		
Reproductive toxicity		
STOT-single exposure		
STOT-single exposure	3	{pcfield2}
STOT-repeated exposure		
Aspiration hazard		

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data. **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	3hr IC50 Bacteria mg/l	Biodegradability %
Glycerine - (56-81-5)	54,000.00, Oncorhynchus mykiss	1,955.00, Daphnia magna	No data available.		
Ethanol - (64-17-5)	15,400.00, Lepomis macrochirus	>10,000.00, Daphnia magna	17.92, Ulva pertusa	>1,000.00	89.00
CI 69800 - (81-77-6)	No data available.	No data available.	No data available.		
CI 74100 - (574-93-6)	No data available.	No data available.	No data available.		



SDS Revision Date: 5/9/2023 Revision Number: 2

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	3hr IC50 Bacteria mg/l	Biodegradability %
Aqua - (7732-18-5)	No data available.	No data available.	No data available.		
CI 13980 - (31837-42-0)	No data available.	No data available.	No data available.		
Ammonium Acrylates Copolymer - (Proprietary)	No data available.	No data available.	No data available.		
Hamamelis virginiana, extract - (84696- 19-5)	No data available.	No data available.	No data available.		

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

No available information

12.4. Mobility in soil

No available information

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6 Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.

12.7. Other adverse effects

No available information

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

ADR/RID IMO / IMDG (Ocean ICAO/IATA



Safety Data Sheet SDS Revision Date: 5/9/2023

Gen-Z Lining Green Revision Number: 2

Transportation)

14.1. UN number NA1993 NA1993 NA1993

14.2. UN proper
shipping nameCombustible liquid,
n.o.s., (Ethanol)Combustible liquid, n.o.s., Combustible liquid,
(Ethanol)n.o.s., (Ethanol)

14.3. Transport DOT Hazard Class:Not **IMDG:**Not Applicable **Air class:**Not Applicable

hazard class(es) Applicable Sub Class:Not Applicable Sub Class:Not

Sub Class:Not Applicable

Applicable

14.4. Packing group ||| ||| |||

14.5. Environmental hazards

Marine Pollutant: No;

14.6. Special precautions for user

No available information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

Section 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

According to Regulation (EU) 2020/2081.

National Legislation

None noted.

SVHC Ingredient: 171 Gen-Z Rev2 (Unknown)

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: 171 Gen-Z Rev2 (Unknown)

Ethanol (Use restricted. See item 40.)

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.



SDS Revision Date: 5/9/2023

Revision Number: 2

Section 16. Other information

SDS Revision Date 5/9/2023

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

ACGIH - American Conference of Governmental Industrial Hygienists

ADR - International Carriage of Dangerous Goods by Road (Accord Dangereux Routier)

CAS - Chemical Abstract Service

CLP - Classification Labeling and Packaging

DOT - Department of Transportation

EC50 - European Commission

EC50 - Half maximal effective concentration

ErC50 - The concentration of test substance which results in a 50 percent reduction in growth rate (ErC50) relative to the control within 72hrs exposure.

GHS - Globally Harmonized System

IARC - International Agency for Research on Cancer

IATA - International Civil Aviation Organization

IC50 - The amount of a substance suspended in the air required to kills 50% of a test animals during a predetermined observation period.

ICAO - International Civil Aviation Organization

IMDG - International Maritime Dangerous Goods

IMO - International Maritime Organization

LC50 - Is the Lethal Concentration of a substance at which 50% of test animals die.

LD50 - Is the Lethal Dose at which 50% of the animals will be expected to die.

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PBT - Persistent, Bioaccumulative and Toxic Chemicals

PEL - Permissible Exposure Limit



SDS Revision Date: 5/9/2023 Revision Number: 2

REACH - Registration, Evaluation, Authorization and Restriction of Chemicals

RID - Regulations concerning the international carriage of dangerous goods by rail)

STEL - Short Term Exposure Limit

TWA - Time Weighted Average

vPvB - Very Persistent and very Bio-accumulative

WGK - Water Hazard Class

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification Justification

End of Document