According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Commercial name: BLACK LABEL PROTON PROFESSIONAL STENCIL PRIMER Review date: 01/17/2023

Print date: 01/17/2023

Version: 1st

Page: 1 of 8

SECTION 1: Identification of the substance or mixture and the	e company or company
1.1. Product identifier	
Business name	BLACK LABEL PROTON PROFESSIONAL STENCIL PRIMER
1.2. Relevant identified uses of the substance and uses advised against	
Identified uses	Transfer liquid. Cosmetic product. Instructions for use: Apply a generous amount of Stencil Proton on the skin, spread it over the area to be applied with circular and energetic movements, immediately place the stencil and press so that it adheres correctly, remove and wait 10 minutes to start tattooing
Uses not recommended	: They don't know each other.
1.3. Details of the supplier of the safety data sheet	: TATTOO PROTON SL
Address	: C/ Real, 44
	24398 Congosto (León) - Spain
Phone number	: +34 644 654 623
Electronic address of the	: Europe@tattooproton.com
person responsible for the FDS	
1.4. Emergency number	: Tel. +34 644 654 623
Availability	: Monday to Friday - office hours.
SECTION 2: Hazard Identification	
2.1. Classification of the substance or mixture	
Product definition	: Mix.
CLP Classification	: Not classified as dangerous according to Regulation (EC) No. 1272/2008 (CLP).
2.2. Label elements	
CLP labeling	: Not applicable.
Specific labeling	: See section 15.1 of this safety data sheet.
23. Other dangers	
Compliance with the criteria PBT or vPvB	: The product does not contain classifying substances such as PBT or vPvB.
SECTION 3: Composition/information on ingredients	

3.2. Mixtures

Hazardous components:							
Denomination Chemistry / INCI	Content (% in weigh)	CAS No.	EC No.	Index No.	Registration number REACH	CLP Classification*	Limits of concentration specific
Isopropyl Alcohol	2	67-63-0	200-661-7	603-117- 00-0	-	Custard. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	-
Sodium Benzoate	1	532-32-1	208-534-8	-	01-2119460683-35 -XXXX	Eye Irrit. 2 H319	-

SAFETY DATA SHEET According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Commercial name: BLACK LABEL PROTON PROFESSIONAL STENCIL PRIMER Review date: 01/17/2023 Print date: 01/17/2023

Version: 1st

Page: 2 of 8

Engenol	0.01	97-53-0	202-589-1	-	01-2119971802-3 -XXXX	Eye Irrit. 2 H319	-
Benzyl Benzoate	0.1	20-51-4	204-402-9	607-085-00-9	-	Eye Irrit. 2 H319	-

*Full text of the hazard statements (H): see section 16.

*Full text of the hazard statements (H): see section 16.		
SECTION 4: First aid		
4.1. Description of first aid		
General notes	: In cases of doubt, or when symptoms persist, seek medical attention.	
In case of inhalation	: Supply fresh air. Seek medical attention if necessary.	
In case of contact with skin	: No one needed.	
In case of contact with eyes	: Wash immediately with plenty of water (for 10 minutes) keeping the eyelids separated. Consult medical attention if necessary.	
In case of ingestion	: Do not induce vomiting. DO NOT give anything to an unconscious person. Consult medical advice.	
Protection of the person providing first aid	: Not identified.	
4.2. Main symptoms and effects, acute and delayed	: Not identified.	
4.3. Indication of any medical attention and special treatment that should be given immediately	: Symptomatic treatment.	
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Appropriate extinguishing media	: Use water spray, foam, dry chemical, or carbon dioxide.	
Unsuitable extinguishing media	: Do not use powerful water flows.	
5.2. Specific hazards arising from the substance or mixture		
Fire danger	: The product is non-flammable.	
Explosion hazard	: Nobody.	
Hazardous combustion products	: In case of fire, dangerous fumes (COx) may be produced.	
5.3. Recommendations for firefighting personnel	: In case of fire, use personal respiratory protection equipment. Firefighters must wear fire-resistant protective equipment.	
SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
For non-emergency services personnel	: Equip yourself with gloves and protective clothing. Warn the affected environment.	
For emergency personnel	: Equip yourself with gloves and protective clothing. Warn the affected environment. Evacuate the area.	
6.2. Precautions regarding environment	: Prevent the product from entering rivers, lakes or sewers.	
6.3. Containment and cleaning methods and materials	: Eliminate the spill with absorbent material. Wash the remains with plenty of water.	

According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Review date: 01/17/2023 Print date: 01/17/2023			Version: 1st Page: 3 of 8	
4. Reference to other sections	: For more information see sections 8 and 13.			
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Protection and prevention measures	: Open and handle the product with caution. Equip section 8. Avoid spilling on the ground. Product		neasures indicated in	
General recommendations on hygiene measures at work	: Do not eat, drink or smoke while handling the pro product.	oduct. Wash your hands after	handling the	
.2. Storage conditions : Store in a cool, dry and well-ventilated place. Keep the container tightly closed. Keep away from sunlight. insurance, including possible incompatibilities : Store in a cool, dry and well-ventilated place. Keep the container tightly closed.				
7.3. Specific end uses	: For external use only.			
SECTION 8: Exposure controls/personal protection				
.1. Control parameters				
National limit values of professional exhibition	: The available data on the dangerous component	s of the mixture are presented	i:	
ID	Exp limit value professional		Country	
	8 hours	Short term		
Isopropyl Alcohol CAS: 67-63-0	200ppm; 500mg/m3	400ppm; 1000mg/m3	Spain	
DNELs and PNECs	: There are no DNELs and PNECs values availab	le for the mixture itself.		
3.2. Exposure controls				
Appropriate technical controls Individual protection measures, such as personal protective equipment	: Avoid spilling on the ground. Product may be slip	pery.		
Eye/face protection	: Not required under normal conditions of use.			
Skin care	: Not required under normal conditions of use.			
Hand protection	: Not required under normal conditions of use.			
Respiratory protection	: Not required under normal conditions of use.			
Environmental exposure controls	: No information available.			
SECTION 9: Physical and chemical properties				
9.1. Information on basic physical and chemical properties				
	: Purple-black viscous liquid.			
chemical properties	: Purple-black viscous liquid. : Vanilla and Tobacco			

According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Commercial name: BLACK LABEL PROTON PROFESSIONAL STENCIL PRIMER Review date: 01/17/2023 Print date: 01/17/2023

Version: 1st

Page: 4 of 8

рН	: Not available / Not applicable.
Melting point/freezing point	: Not available/Not applicable.
Initial boiling point e	: Not available / Not applicable.
boiling range	
Flashpoint	: >61°C. Non-flammable.
Evaporation rate	: Not available / Not applicable.
Inflammability	: Non-flammable.
Upper/lower flammability or	: Not available/Not applicable.
explosive limit	
Vapor pressure	: Not available / Not applicable.
Vapor density	: Not available / Not applicable.
Relative density	: Not available / Not applicable.
Solubility	: Soluble in water.
Partition coefficient n octanol/	: Not available / Not applicable.
water	: Not self-flaming.
Autoignition temperature	
Decomposition temperature	: Not available/Not applicable.
Goo	: Viscous.
Explosive properties	: Not explosive.
Comburent properties	: Does not present oxidizing properties.
9.2. Additional Information	: There is no additional information.
SECTION 10: Stability and reactivity	
10.1. Reactivity of the substance or mixture	: See section 10.3.
10.2. Chemical stability	: Stable product under normal conditions of use.
	· No depressive reactions known
10.3. Possibility of dangerous reactions	: No dangerous reactions known.
10.4. Conditions to avoid	: Avoid high temperatures, keep away from sunlight.
10.5. Incompatible materials	: Strong oxidizing agents : In case of fire: see section 5.
10.6. Hazardous decomposition products	

11.1. Information about the effects
toxicological
a) Acute toxicity

Available data on the hazardous components of the mixture:

SECTION 11: Toxicological information

According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Commercial name: BLACK LABEL PROTON PROFESSIONAL STENCIL PRIMER Review date: 01/17/2023 Print date: 01/17/2023

Version: 1st

Page: 5 of 8

ID	Exposure route	Effective dose	Species
Isopropyl Alcohol	Oral	LD50 = 5,840 mg/kg	Rat
CAS: 67-63-0	Inhalation	LC50 = 25,000 mg/m ³	Rat
	Cutaneous	13 900 mg/kg bw	Rabbit
Benzyl Benzoate	Oral	LD50 = 2800 mg/kg	Rat
CAS: 120-51-4	Inhalation	LOAEC = 30 mg/m3	Rat
Sodium Benzoate	Oral	LD50 > 2000 mg/kg	Rat
CAS: 532-32-1	Inhalation	LC50 >12200 mg/m3	Rat
	Cutaneous	LD50 > 2000 mg/kg	Rabbit
Engenol	Oral	LD50= 4200 mg/kg	Rat
CAS: 97-53-0	Inhalation	LC50 > 5.15 mg/L	-
	Cutaneous	LD50 > 2000 mg/kg	Rat

Estimated mix data:

ATEmix (oral) > 2000 mg/kg

ATEmix (dermal) > 20,000 mg/kg

Conclusion: Not classified.

b) Skin corrosion or irritation	: Not qualified.
c) Serious eye damage or eye irritation	: Not qualified.
d) Respiratory or skin sensitization	: Not qualified.
e) Mutagenicity in germ cells	: Not qualified.
f) Carcinogenicity	: Not qualified.
g) Reproductive toxicity	: Not qualified.
h) Specific target organ toxicity (STOT) single exposure	: Not qualified.
e) Specific target organ toxicity (STOT) repeated exposure	: Not qualified.
j) Danger due to aspiration	: Not qualified.
SECTION 12: Ecological information	

Available data o	h the hazardou	s components o	of the mixture.

12. Toxicity

According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Commercial name: BLACK LABEL PROTON PROFESSIONAL STENCIL PRIMER Review date: 01/17/2023 Print date: 01/17/2023

Version: 1st

Page: 6 of 8

ID	Guy	Effective dose	Species
Isopropyl Alcohol	Fish	LC50 = 9640-10000 mg/l/96h	Pimephales promelas
CAS: 67-63-0	Aquatic invertebrates	LC50 >10,000 mg/l/24h	Daphnia magna
	aquatic plants	LC3 = 1800 mg/l/7d	Scenedesmus quadricauda
Engenol	Fish	LC50 = 41-2070 mg/l/96h	Lepomis macrochirus
CAS: 97-53-0	Aquatic invertebrates	EC50 > 100 mg/l/48h	Daphnia magna
	aquatic plants	EC50 > 300 mg/l/72h	Pseudokirchneriella subcapitate
Sodium Benzoate	Fish	LC50 = 484 mg/l/96h	Pimephales promelas
CAS: 532-32-1		NOEC = 10 mg/L	Danio Rerio
	Aquatic invertebrates	LC50 >100 mg/l/96h	Daphnia magna
	aquatic plants	EC50 >30.5 mg/l/72h	Pseudokirchnerella subcapitate
		NOEC = 0.09 mg/l/72h	Pseudokirchnerella subcapitate
Benzyl Benzoate	Fish	LC50 = 1,250 mg/L 96h	Brachydanio rerio
CAS: 120-51-4	Aquatic invertebrates	EC50 = 9 82 mg/L 48h	Daphnia magna

12.2. Persistence and degradability	: There is no information available on the persistence and degradability of the product.
12.3. Bioaccumulative potential	: No information is available regarding Bioaccumulation.
12.4. Mobility on the ground	: There is no information available on mobility on the ground.
12.5. Results of PBT and vPvB assessment	: The product does not contain substances classified as PBT or vPvB.
12.6. Other adverse effects	: They don't know each other.
SECTION 13: Disposal Considerations	
13.1. Methods for waste treatment	
Appropriate methods for the disposal of residues of the substance/ mixture	: Dispose of in accordance with local/national regulations. Do not dispose of by pouring directly into rivers or sewers.
Appropriate methods for the disposal of contaminated containers	: Handle contaminated containers as well as the product itself.

SECTION 14: Transport information

	ADR/RID	AND/ADNR	IMDG	IATA
14.1. UN number	The product is not classified as dangerous for transport.			
14.2. United Nations proper shipping name				
14.3. Transport hazard class(es)				
14.4. Packing group				
14.5. Environmental hazards				

According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Commercial name: BLACK LABEL PROTON PROFESSIONAL STENCIL PRIMER Version: 1st Review date: 01/17/2023 Print date: 01/17/2023 Page: 7 of 8 14.6. Special precautions for users 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code SECTION 15: Regulatory information 15.1. Regulations and legislation in safety, health and environmental matters specific to the substance or mixture EU regulations **REACH** authorizations : The product does not contain substances that are on the list of SVHC candidate products, nor in Annex XIV of REACH. **REACH** use restrictions : The product does not contain substances included in Annex XVII of REACH. Cosmetics regulations The product complies with Regulation (EC) 1223/2009 on cosmetic products. The product must be labeled according to Chapter VI, article 19. Ingredient list: AQUA, PROPYLENE GLYCOL, GLYCERIN, ISOPROPYL ALCOHOL, TRIETHANOLAMINE, CARBOMER, SODIUM BENZOATE, AROMA, CI 50420, ENGENOL, BENZYL BENZOATE, LINALOOL National Regulations : The product complies with Royal Decree 1599/1997 that includes the regulation of products cosmetics. 15.2. Chemical Safety Assessment : A chemical safety assessment has not been performed for the product. SECTION 16: Other information : This is the first version of FDS. The format has been adapted to the requirements of the Regulation Modifications with respect to the previous sheet EU 2015/830, which amends Annex II of the REACH Regulation. : SDS: Safety Data Sheet Acronyms and Acronyms PBT: Persistent, Bioaccumulative and Toxic vPvB: Very Persistent and very Bioaccumulative DNEL: Derived no effect level PNEC: Predictable No-Effect Concentration

SVHC: Substances of Very High Concern. ATEmix: Estimation of acute toxicity of the mixture

https://echa.europa.eu/es/

https://limitvalue.ifa.dguv.de/ : H225: Highly flammable liquid and vapor.

> H319: Causes serious eye irritation. H332: Harmful if inhaled

H336: May cause drowsiness or dizziness.

: Safety data sheets for the components of the mixture.

https://ec.europa.eu/growth/tools-databases/cosing/

Recommendations for training workers

Data sources

Full text of hazard statements (H)

: Workers must be provided with specific information and training in the field of security.

H373: May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET According to Regulation (EU) No 2015/830 amending Annex II of Regulation (EC) No 1907/2006 (REACH).

Commercial name: BLACK LABEL PROTON PROFESSIONAL STENCIL PRIMER Review date: 01/17/2023 Print date: 01/17/2023

Version: 1st

Page: 7 of 8

GRADES

: This information only refers to the product described in this sheet and may not be valid if used in conjunction with other product(s) or in any process. The information presented is based on our best current level of knowledge and is provided in good faith but its accuracy or reliability cannot be guaranteed or assured. It is a guide for manipulation,

use, processing, storage, transportation and disposal of this substance safely and should not be considered a guarantee or quality specification.